





Manual Double Swing Door


Manual Swing Door

#### Features :

- The door panel is filled with high-quality extruded plate, the middle layer is plywood, the aluminum alloy is used as the frame around to strengthen the hardness. The surface material is galvanized steel plate which is coated with PVC film or steel plate spraying, with enough bending strength, and the stainless steel body is wrapped.
- Door frame and decorative edge are all made of 1.2mm-thick 304 brushed stainless steel.
- Stainless steel and aluminum alloy material optional (beautiful, internal use, easy to clean, rust free).
- The sealing device at the bottom of the door is sealed by automatic up and down way.




Double Swing Door (single direction)	Model : HP-OR-SD
Standard size	1500x2100mm
Observation window	250x300mm / 500x350mm / 780x180
Door closer	Keytex / Mingxuan / Anni
Door hinge	Keytex / Mingxuan / Anni
Printing	MX serier








Single Swing Door (single direction)	Model : HP-OR-SD
Standard size	1000x2100
Observation window	250x300mm / 500x350mm / 780x180
Door closer	Keytex / Mingxuan / Anni
Door hinge	Keytex / Mingxuan / Anni
Printing	MX serier








Double Swing Door (dual direction)	Model : HP-OR-SD
Standard size	1500x2100mm
Observation window	250x300mm / 500x350mm / 780x180
Door closer	Keytex / Mingxuan / Anni
Door hinge	Keytex / Mingxuan / Anni
Printing	MX serier













Single Swing Door (dual direction)	Model : HP-OR-SD
Standard size	1000x2100
Observation window	250x300mm / 500x350mm / 780x180
Door closer	Keytex / Mingxuan / Anni
Door hinge	Keytex / Mingxuan / Anni
Printing	MX serier

